The next generation of printing is here. Print professional-quality color—up to twice the speed¹ and half the cost per page of color lasers²—using HP PageWide Technology. Help workgroups thrive with versatile functions and easy manageability.



(HP Officejet Pro X576dw color MFP)



(HP Officejet Pro X476dn color MFP)



(HP Officejet Pro X476dw color MFP)

# Up to twice the speed¹ and half the cost per page² of color lasers

- Produce quality prints with Original HP inks, and save up to 50% on printing costs versus color lasers.<sup>2</sup>
- New General Office mode delivers high-quality prints at up to 55 pages per minute (X476dn/X476dw) and up to 70 pages per minute (X576).<sup>3</sup>
- Print brilliantly at breakthrough speed with the same HP PageWide Technology found in top-end digital presses.
- Depend on HP for reliable workgroup printing designed for high volumes up to 6,000 pages per month (for X576dw).

# Empower workgroups with an easy-to-manage MFP

- Tap and swipe the intuitive 4.3-inch color touchscreen to print, copy, scan, fax, and send digital files.<sup>9</sup>
- Proactively manage this device and remotely monitor status with industry-leading tools like HP Web Jetadmin.
- Print up to 9,200 pages per cartridge<sup>11</sup> and load up to 1,050 sheets at once with the optional paper tray.<sup>4</sup>
- Help protect your investment and extend capabilities as your needs grow with a portfolio of solutions.<sup>12</sup>

### Connect and print—at the office or on the go<sup>6</sup>

- Print wirelessly, and share access with PCs, tablets, and mobile devices<sup>5</sup>—even with no network or router.<sup>7</sup>
- Print from your smartphone or tablet from virtually anywhere with HP ePrint.<sup>6</sup>
- Add this device to your office Ethernet network to share with your workgroup.
- Walk up and print right away, using the easy-access USB port. Print from a thumb drive or scan straight to it.

# Conserve resources without sacrificing performance

- Keep costs in line. This ENERGY STAR® qualified device uses up to 50% less energy than color lasers.8
- Save up to 50% on paper with automatic two-sided printing, and maintain efficiency at breakthrough speeds.
- Conserve resources, using Original HP pigment inks that require less packaging than toner cartridges.
- Reduce your impact—easily recycle your Original HP ink cartridges for free through HP Planet Partners.

<sup>1</sup> Comparison based on manufacturers published specifications of fastest available color mode (as of August 2013) and includes color laser MFPs < \$1000 USD and color laser printers < \$800 USD available August 2013 based on market share as reported by IDC as of Q2 2013 and HP internal testing of printer in fastest available color mode (sample 4-page category documents tested from ISO 24734). For more .com/go/printerclaims. 2 Cost per page (CPP) claim is based on the majority of color laser MFPs < \$1000 USD and color laser printers < \$800 USD as of August 2013, based on market share as reported by IDC Q2 2013. CPP comparisons for laser supplies are based on published specifications of the manufacturers' highest capacity cartridges. HP Officejet Pro X CPP based on HP 970XL/971XL ink cartridges estimated street price, published yield for color prints and continuous printing in default mode. Actual prices may vary. Actual yields may vary based on printer, images printed and other factors. For more information, see hp.com/go/learnaboutsupplies. For more information, see hp.com/go/printerspeeds. Capacity up to 1050 sheets with optional 1x500 sheet accessory paper tray not included; please purchase separately. 5 Local printing requires mobile device and printer to be on the same network or have a direct wireless connection to the printer. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details. Requires an internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Print times and connection speeds may vary. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. Learn more at hp.com/go/mobileprinting. 7 Mobile device must be directly connected to the printer's wireless network prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the printer, 8 Majority of color laser printers < \$800 USD and color laser MFPs < \$1000 as of August 2012. Energy use based on HP and HP commissioned third-party testing. Actual cost and energy usage may vary. For details, see hp.com/go/officejet. 9 Sending digital files requires network or Internet access wireless access point and an Internet connection to the printer. Services require registration. App availability varies by country, language, and agreements, and requires a firmware upgrade. For details, visit hpconnected.com. 10 Program availability varies. Original HP cartridge return and recycling is currently available in more than 47 countries, territories, and regions in Asia, Europe, and North and South America through the HP Planet Partners program. For more information, visit hp.com/recycle. 11 Page volume based on HP 970XL black ink cartridge. 12 Additional workflow solutions available through HP's software and third-party partner program. For solution details, go to hp.com/go/gsc.

# **HP Officejet Pro X476/X576 color MFP series**

- 4.3" CGD (color graphics), touchscreen; rotating (adjustable angle) display; 6 buttons (Home, Back, Return, Help, Forward, Cancel); USB 2.0 port
- 2 Automatic two-sided printing
- 3 500-sheet input tray, optional 2nd 500 sheet tray, Auto duplex
- 4 50-sheet multi-purpose tray
- 5 300-sheet face-down output bin
- 6 On/Off Switch
- 7 Exclusive paper/supplies storage area
- 8 Pigment inks for water and fade resistant output
- 9 50-page double sided automatic document feeder
- 10 Built-in high-speed USB 2.0 port
- 11 Built-in wired Ethernet 10/100BaseTX networking
- 12 792 Mhz processor, 768 MB standard memory
- 13 Front USB Port for easy access



## Series at a glance







	X476dn	X476dw	X576dw	
Part Number	CN460A	CN461A	CN598A	
Print Speeds Up to 36 ppm letter		Up to 36 ppm letter	Up to 42 ppm letter	
Control Panel	4.3" CGD (color graphics), touchscreen; rotating (adjustable angle) display; 6 buttons (Home, Back, Return, Help, Forward, Cancel); USB 2.0 port	4.3" CGD (color graphics), touchscreen; rotating (adjustable angle) display; 6 buttons (Home, Back, Return, Help, Forward, Cancel); USB 2.0 port	4.3" CGD (color graphics), touchscreen; rotating (adjustable angle) display; 6 buttons (Home, Back, Return, Help, Forward, Cancel); USB 2.0 port	
HP ePrint Capability				
External I O Ports	2 USB 2.0; 1 Host USB; 1 Ethernet; 1 RJ-11 fax	2 USB 2.0; 1 Host USB; 1 Ethernet; 1 Wi-Fi 802.11b/g/n; 1 RJ-11 fax	2 USB 2.0; 1 Host USB; 1 Ethernet; 1 Wi-Fi 802.11b/g/n; 1 RJ-11 fax	
Input Capacity	500-sheet input tray, 50-sheet multi-purpose tray	500-sheet input tray, 50-sheet multi-purpose tray	500-sheet input tray, 50-sheet multi-purpose tray	
Output Capacity	300-sheet face-down output bin	300-sheet face-down output bin	300-sheet face-down output bin	
Memory	768 MB	768 MB	768 MB	
Automatic Two-sided Printing				
HP Auto Wireless Connect	No			
ENERGY STAR® Qualified				

## **Top features**

Up to twice the speed<sup>1</sup> and half the cost per page of color lasers,<sup>2</sup> with HP PageWide Technology.

Print professional-quality documents at up to twice the speed<sup>1</sup> and half the cost per page of color lasers.<sup>2</sup> This advanced MFP delivers vivid color at breakthrough speeds to save you time and resources. HP PageWide Technology makes it possible.

Print, copy, scan, fax, and send files<sup>6</sup> from a device that's easily integrated into corporate networks and managed with industry-leading tools. Large-capacity paper trays and high-yield ink cartridges support high-volume, unattended printing.

Easily connect, print, and stay productive—at the office or on the go. Connect and share this device on your wireless<sup>3</sup> or Ethernet network, and print from your smartphone or tablet from virtually anywhere.<sup>4</sup> Print from or scan to a thumb drive.

Use up to 50% less energy than color lasers<sup>5</sup> with this ENERGY STAR® qualified device designed with the environment in mind. Save up to 50% on paper costs with automatic two-sided printing, and get free, easy cartridge recycling.<sup>7</sup>

J8021A

### Get the most out of your printer with HP accessories, supplies, and services.

Drinters

### **HP** services

**Default warranty:** One year, phone and web support. Advanced exchange for product repair. Phone support provided by HP's commercial support organization.

**Care pack:** The HP Officejet Pro X476/X576 color printer series will provide HP's industry leading Care Pack service offerings. This includes 1 year and 3 year options for:

- Next Business Day Exchange and Onsite
- · Return to HP
- Standard Exchange
- Post Warranty Exchange and Onsite for extended service times

Select the right HP Care Pack Service for your HP Officejet Pro X476/X576 at hp.com/go/cpc

HP Officejet Pro X476dn MFP HP Officejet Pro X476dw MFP HP Officejet Pro X576dw MFP	CN460A CN461A CN598A
Ink cartridges HP 970 Black Ink Cartridge (~3,000 pages) HP 971 Cyan Ink Cartridge (~2,500 pages) HP 971 Magenta Ink Cartridge (~2,500 pages) HP 971 Yellow Ink Cartridge (~2,500 pages) HP 970XL Black Ink Cartridge (~9,200 pages) HP 970XL Cyan Ink Cartridge (~6,600 pages) HP 971XL Cyal Ink Cartridge (~6,600 pages) HP 971XL Yellow Ink Cartridge (~6,600 pages)	CN621A CN622A CN623A CN624A CN625A CN626A CN627A CN628A
Accessories HP Officejet Pro X Series 500-sheet Paper Tray	CN595A
HP Care Packs HP 3-year Next Business Day Officejet Pro x476/x576 MFP Hardware Support HP 4-year Next Business Day Officejet Pro x476/x576 MFP Hardware Support HP 5-year Next Business Day Officejet Pro x476/x576 MFP Hardware Support HP 3-year 4h 9x5 Officejet Pro x476/x576MFP Hardware Support HP 3-year 4h 13x5 Officejet Pro x476/x576MFP Hardware Support	U1XQ3E U1XQ5E U1XQ6E U1XQ7E U1XQ8E
Connectivity (printing only) HP Jetdirect en1700 External Print Server HP Jetdirect en3700 Fast-Ethernet External Print Server for Network Capable	J7988G
Hi-Speed USB 2.0 Peripherals HP Jetdirect ew2400 802.11b/g wireless and Fast Ethernet external print server (USB 2.0, 10/100Base-TX, 802.11b/g)	J7942G J7951G

#### Paper

hp.com/go/paper

#### Software

HP Web Jetadmin: hp.com/go/wja
HP Universal Print Driver: hp.com/go/upd

HP Jetdirect ew2500 802.11b/g Wireless Print Server

Comparison based on manufacturers published specifications of fastest available color mode (as of August 2013) and includes color laser MFPs < \$1000 USD and color laser printers < \$800 USD available August 2013 based on market share as reported by IDC as of Q2 2013 and HP internal testing of printer in fastest available color mode (sample 4-page category documents tested from ISO 24734). For more information, see hp.com/go/printerclaims. \*Cost per page (CPP) claim is based on the majority of color laser MFPs < \$1000 USD and color laser printers < \$800 USD as of August 2013, based on market share as reported by IDC Q2 2013. CPP comparisons for laser supplies are based on published specifications of the manufacturers' highest capacity cartridges. HP Officejet Pro X CPP based on HP 970XL/971XL ink cartridges estimated street price, published yield for color prints and continuous printing in default mode. Actual prices may vary. Actual yields may vary based on printer, images printed and other factors. For more information, see hp.com/go/learnaboutsupplies. \*Local printing requires mobile device and printer to be on the same network or have a direct wireless connection to the printer. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details. \*Requires an internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Print times and connection speeds may vary. Wireless broadband use requires separately purchased service contract for m

## **HP Officejet Pro X476/X576 color MFP series**

Technical specifications	HP Officejet Pro X476dn MFP (CN460A)	nr umcejet Pro )	(476dw MFP (CN461A)	HP Officejet Pro X576dw MFP (CN598A)		
AiO Functions		Print, copy, scan, fax; Ai	O multitasking Supported: Yes			
Print						
Duplex Print Options		Automa	atic (standard)			
Print Speed <sup>1</sup>	ISO Speed: Up to 36 ppm black, Up to 36 ppm color; Maximum Print Speed: Up to 55 ppm black, Up to 55 ppm color			ISO Speed: Up to 42 ppm black, Up to 42 ppm color; Maximum Print Speed: Up to 70 ppm black, Up to 70 ppm color		
First Page Out	Maximum Print Speed: Up to 7.0 ppm Black (ready): As fast as 9.5 sec; Color (ready): As fast as 9.5 sec					
Print Resolution	Black (best): Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte);					
	Color (best): Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi (on HP Advanced Photo Papers)					
Print Cartridges Number	UD aDrint UD aDrint Mahila Appe Coogle Cloud Brint Apple AirDrint™	4 (1 black, cyan, magenta, yellow)  nt, HP ePrint Mobile Apps, Google Cloud Print, Apple AirPrint™  HP ePrint Mobile Apps, Google Cloud Print, HP ePrint Wireless Direct, Apple AirPrint™				
Mobile Printing Capability	HP ePrint, HP ePrint Mobile Apps, Google Cloud Print, Apple AirPrint™		Print, HP ePrint wireless Direct, Apple AirPrint."			
Standard Print Languages		HP PCLSC, HP PCLXL (PCL6)	), native PDF, HP Postscript Level 3			
Scan		U- 4- 30 i /b0	2) to 15 ions (onlos)			
Scan Speed	Up to 20 ipm (b&w), up to 15 ipm (color)  Front panel applications: Copy, Scan to E-mail with LDAP e-mail address lookup, Scan to Network Folder, Scan to USB, Scan to Computer with SW. Client applications: EWS, HP Scan App, HP Flow CM,					
Scan Input Modes	Compatible with HP Capture and Route					
Scan Type/Technology	Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS)					
Scan Resolution	Enha	anced: Up to 1200 dpi; Hardware: I	Up to 1200 x 1200 dpi; <b>0ptical:</b> Up to 120	00 dpi		
Scan File Format	Scan File Type supported by Softwa	re: Bitmap (.bmp), JPEG (.jpg), PDF	(.pdf), PNG (.png), Rich Text (.rtf), Searcl	hable PDF (.pdf), Text (.txt), TIFF (.tif)		
Scan Size Maximum		ADF, Flatbed: 8.5	5 x 14 in (216 x 356 mm)			
Twain Version		Ve	ersion 1.9			
Bit Depth/Grayscale Levels		Bit Depth: 24-bit (color	r); 8-bit (gray); <b>Grayscale:</b> 256			
Сору						
Copy Speed <sup>2</sup>	<b>ISO Speeds:</b> Up to 36 cpm black; Up to 36 cpm colo	r; <b>Maximum:</b> Up to 55 cpm black; l	Jp to 55 cpm color	ISO Speeds: Up to 42 cpm black; Up to 42 cpm color; Maximum: Up to 70 cpm black; Up to 70 cpm color		
Copy Resolution	Bla	nck (text and Graphics): Up to 600	dpi; Color (text and graphics): Up to 600			
Max No of Copies			o 99 copies	•		
Copier Resize			5 to 400%			
Copier Settings	HP Conv Fix. ID Conv: Resize: Quality: Lighter			v Preview: Enhancements: Set as New Defaults		
Fax	HP Copy Fix, ID Copy; Resize; Quality; Lighter/Darker; Two-sided copying; Tray Selection; Collate; Margin Shift; Crop; Copy Preview; Enhancements; Set as New Defaults					
Fax Speed	United 29 5 bloom					
Fax Resolution	Up to: 33.6 kbps					
Fax Features	Black(best): 300 x 300 dpi; Black(standard): 203 x 98 dpi; Black and White(fine): 203 x 196 dpi; Black Photo Grayscale: 203 x 196 dpi (8-bit grayscale); Color (fine): 200 x 200 dpi  Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: Yes; Distinctive Ring Detection Supported: Yes; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: Yes, Yes Tax Phone TAM Interface Supported: Yes Tax Phone TAM Interface Supported: Yes Tax Phone TAM					
		Sup	ported: No			
Connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet	2 Hi_Cnood HCD	2 2 0 Host: 1 Hi-Spood USB 2 0 Daviso: 1 E	Ethornot 10/100 Paco-TV notwork: 1 PI-11 modem port:		
Standard Connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100 Base-TX network; 1 RJ-11 modem port; 10/100 Base-TX network; 1 RJ-11 modem port 802.11 b/g/n Station; 802.11 b/g Access Point					
Network Capabilities	Standard (built-in Ethernet)	uilt-in Ethernet) Standard (built-in Ethernet and Wi-Fi 802.11b/g/n)				
Memory			768 MB			
Printer Drivers	Windows PLC6 Discrete, Mac PS, Windows HP UPD, Linux, UNIX, SAP					
Processor Speed	792 Mhz					
Duty Cycle (monthly) <sup>3</sup>	Up to 50,000  Recommended Monthly Pag	pages (letter); e Volume:4 500 to 4,000 pages		Up to 80,000 pages (letter); Recommended Monthly Page Volume: <sup>3</sup> 1,000 to 6,000 pages		
Paper Handing						
Input	500-sheet input tray, 50-sheet multi-purpose tray, Optional 500 sheet tray					
Output	300-sheet face-down output bin					
Media Type	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards					
	specialty papers (gloss  Tray 1: 16 to 32 lb (plain paper); 33 to 80 lb (photo): 20 to	sy vrocnure, matte brochure, tri-fo 24 lb (envelope); 32 to 48 lb (broch	ld brochure, Hagaki, greeting cards, othe nure); 90 to 110 lb (card); <b>Tray 2:</b> 16 to 32	er inkjet specialty paper) 2 lb (plain paper); 33 to 66 lb (photo); 20 to 24 lb (envelope);		
Media Weight	32 to 48 lb (brochure); 90 to 1	10 lb (card); <b>Tray 3:</b> 16 to 32 lb (pla	ain paper); 33 to 66 lb (photo); 32 to 48 ll	b (brochure); 90 to 110 lb (card)		
Media Sizes Custom	Tray 1: 3 x 5 in	-	to 8.5 x 11.7 in; Optional <b>Tray 3:</b> 4.0 x 8.3	3 in to 8.5 x 14 in		
ADF Capacity	50-page auto document feeder for two-sided scan, copy and fax					
Dimensions	<b>W x D x H:</b> 20.3 x 15.7 x 20.3 in (517 x 399 x 517 mm)			rtray extended, output tray extension in legal position		
Weight	IID Official Day VATCA Multifus at a District IID OTO C	53	lb (24 kg)	ı		
What's in the Box'	HP Officejet Pro X476dn Multifunction Printer; HP 970 Setup Black Officejet Pro X Ink Cartridge (~3000 pages); HP 971 Setup Black Officejet Pro X Ink Cartridge; HP 971 Setup Magenta Officejet Pro X Ink Cartridge; HP 971 Setup Yellow Officejet Pro X Ink Cartridge (CMY composite ~2500 pages); power cord; phone cord; installation guide; CD-ROMs (for software, Windows and Mac printer drivers, and User's Guide)	Officejet Pro X Ink Cartridge (~30 Pro X Ink Cartridge; HP 971 Setu HP 971 Setup Yellow Officeje ~2500 pages); power cord; phon	ifunction Printer; HP 970 Setup Black Doges); HP 971 Setup Cyan Officejet p Magenta Officejet Pro X Ink Cartridge; t Pro X Ink Cartridge (CMY composite e cord; installation guide; CD-ROMS (for c printer drivers, and User's Guide)	HP Officejet Pro X576dw Multifunction Printer; HP 970 Setup Bla Officejet Pro X lnk Cartridge (~3000 pages); HP 371 Setup (yan Offi Pro X lnk Cartridge; HP 971 Setup Magenta Officejet Pro X lnk Cartri HP 971 Setup Yellow Officejet Pro X lnk Cartridge (CMY composit ~2500 pages); power cord; phone cord; installation guide; CD-ROM software, Windows and Mac printer drivers, and User's Guide)		
Warranty Features		nsite warranty, service and suppor	t; one-year technical phone support, cha	at, and e-mail		
Systems						
Compatible Operating Systems	Windows 8, Windows 7, Windows Vista, Windows XP (SP3, 32-bit), Mac OS X v10.6, Mac OS X Lion, Mac OS X Mountain Lion, Linux (hplip.net)  Compatible network operating systems: Windows 8, Windows Vista, Windows XP (SP3, 32-bit), Mac OS X v10.6, Mac OS X Hoon, Mac OS X Mountain Lion, Windows Soverer RC (Standard Edition, Enterprise Edition, 32-bit & 64-bit), Windows Server RC (Standard Edition, Enterprise Edition, 32-bit & 64-bit), Windows Small Business Server 2003 (32-bit & 64-bit), Windows 2008 Server RC (Standard Edition, Enterprise Edition, 32-bit & 64-bit), Windows Small Business Server 2001 (32-bit & 64-bit), Windows Small Business Server 2011, Windows Server Edition, 32-bit & 64-bit), Windows Small Business Server 2011, Windows Server 2012, Windows Edition, 64-bit), Windows Server 2008 Review (Standard Edition, Server Edition, Server Edition, 64-bit), Windows Server 2008 Review (Standard Edition, Server Edition, 64-bit), Windows Server 2008 Review (Standard Edition, 64-bit), Window					
Minimum System Requirements	processor, 20 MB hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer, windows Ar USF-20 in Injurier 152-bit disk, any internet explorer in Companies processor, 233-bit and disk space, CD-ROM/DVD drive or Internet connection, USB port Internet Explorer for higher; Linux: For more information, see high, net; SAP: For more information see he, com/go/sap/drive/Mac. Mac. OS x v1.0.6, OS X					
Control Panel				· ·		
Software Included		· · · · · · · · · · · · · · · · · · ·	er; HP Update; HP Participation Study; Bi			
Security Management		Syslog; Certificate support; Sig	gned firmware; Administrator settings	ssword protect EWS; Unused protocol and service disablement;		
vironmental ranges	Acoustic	Pressure Emissions:	54 dB(A) (black-and-white/col	or printing), 55 dB(A) (ADF black-and-white copying), 54 dB(A) (ADF		

Environmental ranges

Recommended Operating Temperature: Non-Operating Humidity Range: Operating Humidity Range: Operating Altitude: Storage Temperature: Storage Altitude (imperial):

Acoustic Power Emissions:6

59 to 86°F (15 to 30°C) 5 to 90% RH 20 to 80% RH Up to 10,000 ft (Up to 3048 m) -40 to 140° F (-40 to 60° C)

15,000 ft

Power Supply Type: Power Supply required: Power Consumption:<sup>7</sup> 54 dB(A) (black-and-white/color printing), 55 dB(A) (ADF black-and-white copying), 54 dB(A) (ADF color copying), 52 dB(A) (ADF color scanning), 50 dB(A) (ADF black-and-white scanning), 15 dB(A) (idle)

Internal (Built-in) Universal Power Supply Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) 100 watts (Maximum), 70 watts average (Printing), 9.5 watts (Ready), 4.5 watts (Sleep), 0.95 watts (Auto-Off), 0.2 watts (Manual-Off) 0.60 kWh/Week

¹ Either after first page or after first set of ISO test pages. For details see <a href="hp.com/go/printerclaims.">hp.com/go/printerclaims.</a> \*Speed specifications have been updated to reflect current industry testing methods. ¹ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other IPD LaserJet or IPD Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ⁴ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ⁴ Neverge based on ISO/IEC 24711 or IPD testing methodology and continuous printing, Actual yield varies considerably based on content of printed pages and other factors. Some ink from included cartridge is used to start up the printer. For details see <a href="hp.com/go/lasranboutsupplies">hp.com/go/lasranboutsupplies</a>. \*Acoustic values are subject to change. For current information see <a href="hp.com/go/lasranboutsupplies">hp.com/go/lasranboutsupplies</a>. \*Acoustic values are subject to change. For current information see <a href="hp.com/go/lasranboutsupplies">hp.com/go/lasranboutsupplies</a>. \*Acoustic values are subject to change. For current information see <a href="hp.com/go/lasranboutsupplies">hp.com/go/lasranboutsupplies</a>. \*Acoustic values are subject to change. For current information see <a href="hp.com/go/lasranboutsupplies">hp.com/go/lasranboutsupplies</a>. \*Acoustic values are subject to change. For current information see <a href="hp.com/go/lasranboutsupplies">hp.com/go/lasranboutsupplies</a>. \*Acoustic values are subject to change. For current information see <a href="hp.com/go/lasranboutsupplies">hp.com/go/lasranboutsupplies</a>. \*Acoustic values are subject to change. For current information see <a href="hp.com/go/lasranboutsupp

Typical Electricity Consumption (TEC) number:



© Copyright 2012-2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein between the Company of the Company o

